

SUGAR PIEK: Low noise solutions Night time deliveries

Robert Goevaers
Barcelona 26-5-2010











Topics

- Who am I: Platform sustainable transport
- 24 hour economy: Need for low noise products
- The PIEK noise limits
- PIEK product development 2001 2004
- PIEK Implemenation 2004 2008
- PIEK certification, why?
- International developments 2003 2010











Platform sustainable transport

- Public Private Enterprise
- 6 departments: Environment, Transport
- 10 companies Shell, Philips, DSM, Schiphol, Rotterdam
- 5 platforms
- Energy strategy Netherlands 2025 2050











Goals energy strategy transport

- Less dependent on oil →
- Create changes Dutch economy












Demand for oil














Shortage 2030














Development price of oil














Air quality in Europe














Alternatives













24 hour economy > Need to develop low noise products












Basic idea behind the PIEK project

















PIEK – TNO test procedure



















Peak noise without 'quiet' development

Slamming door

Driving up/away

Load hatch

Containers over load floor

Refrigeration kicking in

Removing onboard forklift

Peak level at 7,5 m in dB(A)

: 74

: 67 - 83

: 65 - 92

: 74 - 85

: 70 - 78

: 77 - 82











PIEK, night time distribution

- In the city we have to:
 - > Live
 - > Work
 - > Shop
 - Recreate
 - > Sleep
- Noise reduction in urban environment
- Legislation in the Netherlands (based on WHO)
 - > 19.00 -23.00 : 65 dB(A)
 - > 23.00 07.00 : 60 dB(A)
- A challenge, a threat an opportunity











PIEK product development 2001 - 2004











Development of silent vehicles Activities 2001 - 2004

- Encouraging quiet behaviour
- Loading location
- Truck
- Trailer, body
- Refrigeration
- Roll containers











Encouraging quiet behaviour













Loading and unloading locations











Engine, drive line noise

dB(A)

• Engine 79

• Gear box 68

• Brakes 72

Solutions:

- PRM limiter
- Incapsulation
- Motor management
- Automatic gearbox











Truck driveline < 65 dB(A)











SUGAR

Electric propulsion Amsterdam Nimwegen 50 vehicles














Meetmethoden voor piekgeluiden bij laden en lossen (MON-RPT-033-DTS-2008-03656)

PIEK Geluidmetingen

Trucks on

- PIEK-test
 - Accelerate 7
 - Brake 72 dB
 - Constant sp
 - Reverse 66
- Max 72 dB(A)













PIEK light 72 dB(A)













Trailer, body

	dB(A)
• Floor	85
• Wall	74
 Tailgate 	83
 Reversing alarm 	110

Solutions:

- Coatings, Aluminium floor
- Hydraulic system modification
- · Camera,

































Aluminium floor













Reversing alarm













Refrigeration

- Noise level: 69 74 dB(A)
- Engine, ventilator
- Solutions:

 Incapsuation
 Cryogen refrigeration























CO2 refrigeration





Unloading equipment

- Hand pallet truck
- Roll cage

Problems:

- Wheels, bearings, collision noise
- 92 db (A)






















Roll cage



























PIEK Implementation 2004 - 2008











Logistic implementation > 2004

- Companies hesitating to invest
- Traffic congestion problem
- Deliveries < 7.00 0'clock not allowed unless Peak, quiet vehicle
- Noise reduction accomplished →
 Evening-night distribution option
- Investment quiet equipment + 15 %
- Cost reduction > 20 %?
- Trials Albert Heijn












Albert Heijn

- 7,000 shops
- 230,000 Employees



















Albert Heijn in Netherlands

- 4 types of shops
- 1700 shops in total
- Turnover 8 billion euro
- 70.000 employees



















Distribution center Albert Heijn














Challenge: Congestion and deliveries















Trials 2007

- Distribution night without noise complaints?
- 10 shops, 9 cities
- 1000 Deliveries morning and evening
- Trials 3 months
- Monitor:
 - ➤ Noise complaints
 - > Local environment
 - Greenhouse impact (emission)
 - > Logistic improvement
 - > Costs











Trials

Albert Heijn 5 trials in 2007

- > Deliveries between 05:00 and 07:00
- ➤ Deliveries between 19:00 and 02.00
- > 1000 Deliveries, 1 complaint

Results

- Very positive
- Less emission (noise and air)
- Cost-savings
 - » Better usage of capacity
 - » Profits from upgrading Rigid to Euro-trailer
 - » Less jam delays / waiting hours / km's































How to monitor a trial

- Noise
- Logistics
- Environment
- Financially











Logistic impact 1: Less congestion

Time reduction 1 location

Average time before: 1.30

Average time trial: 0.30

	Before	After
Tilburg - Eindhoven distance	35 km	35 km
Average time	1:30	0:30
Vehicle	Volvo FH400	Volvo FH400
Distance year	210000	210000
Average fuel consumption	43 I	33 I
Labour cost (23 - 27 euro)	20700	8100
Fuel euro	90300	69300
Cost per year per truck	111000	77400

	Before	After
Tilburg - Eindhoven distance	35 km	35 km
Average time	1:30	0:30
Vehicle	Volvo FH400	Volvo FH400
Distance year	210000	210000
Fuel consumption	43 liter	33 liter
Emission CO2	244 ton	187 ton
Emission HC	4 kg	4 kg
Emission Nox	633	486
Emission PM10	10 kg	7 kg











Logistic impact 2: Larger vehicles in the night

Big supermarket centre of Den Bosch

Before: 3 rigids 28 roll containers

After: Trailer 62 roll containers

	Before	After
nombre de camions	3 rigids	1 trailer
Total distance	225.000 km	75.000 km
temps de conduite	2 hour	1,3 hour
gazoil	74.250 liter	24.750 liter
cout fixe / heure	45	49
total coûts fixes	81000	19110
	=3*2*300*45	=1*1,3*300*49
coût gazoil	96750	24750
TOTAL	177750	43860

	Before	After
distance moyenne	300 km,	300 km
nombre de camions	3 rigids	1 trailer
distance totale	225.000 km	75.000 km
Vehicle	Volvo FH400	Volvo FH400
Gazoil	74.250 liter	24.750 liter
Emission CO2	201 ton	67 ton
Emission HC	4 kg	1 kg
Emission Nox	521 kg	174
Emission PM10	8 kg	3 kg











Replace 1000 vehicles in 2010

PIEK implemented in 50 cities

1400 PIEK deliveries per week





Lessons learned

- Asses stakeholders
- Find opportunities for each stakeholder
- Transform noise advantage into advantages for each stakeholders









Define the stakeholders











Opportunities, threats manufactures PIEK equipment











Opportunities, threats shipper











Opportunities, threats transport operator











Opportunities threats, city (per interest group)











Opportunities, threats residents











PIEK certification, why?











The need for Certification PIEK

- Night time deliverance only allowed for low noise vehicles
- The deliver in the evening/night assurance it is done by low noise vehicle
- PIEK is unique selling points → competitive advantage: protect the PIEK brand
- PIEK = sustainable urban freight delivery











Components certification

- Total approach: The whole trailer is tested
- Component approach trailer
 The individual products are certified
- Noise levels assessment (TNO protocol)
- All registered products: www.piek-international.com
- Confirmation of production
- All products recognizable by PIEK logo















PIEK – Test protocol TNO




















First PIEK certificate 2005













Products, suppliers PIEK certified

2008

- 27 trailer manufactures
- 18 component manufactures
- 1400 PIEK certified products sold

2009

- 27 trailer manufactures
- 24 component manufactures
- 1400 PIEK certified products sold

2010 (3 months)

- 38 trailer manufactures
- 24 component manufactures
- 1200 PIEK certified products sold











Products, suppliers PIEK certified















Countries certification PIEK

- England: Noise Abatement Society
- France: Cemafroid
- Belgium:Universite d'Anvers
- Germany: TUV
- Netherlands: Stichting PIEK-keur (RAI, FOCWA)
- Ireland: Dublin Institute of Technology











International developments 2003 - 2010











Why international development is crucial?

- Source approach
- Truck industry is international
- Level playing field
- Sustainable transport is European problem
- Congestion is a world wide problem
- Standardization
- Same rule, bigger market











Why international development is crucial?

- Source approach
- Truck industry is international
- Level playing field
- Same rule, bigger market
- Low noise truck
- PIEK noise standard in Europe











Ireland 2003















England 2006

- Noise Abatement Society
- Transport for London
- FTA
- Sainsburys
- Tesco
- Carrier (John Connel 2007)
- Gray & Adams
- EcoFridge
- Brigade
- Dhollandia
- ThermoKing
- EcoFridge
- TDS (John Connel 2009)














Equipment UK 2007, 2008



















France 2008















RENAULT TRUCKS







Trials in Paris





Lamberet, DHL, Casino

Congres Renault 12 mei











McDonalds tests in Lyon













Germany

- Schmitz congress 2005
- Cooperation TUV-Nord
- IAA Hanover Krone 2008
- Cooperation Stadte Tag 400 Cities
- Trials 2009
 - Mercedes
 - > FrigoBlock
 - > Krone
 - > Bar















IAA Hanover Germany 2008

























Belgium

- Colruyt 2008
- Cooperation university Antwerp
- 10 Trials September 2010













Sweden

- Volvo
- ICA











Activities scheduled 2010

Denmark

- Roll cage development
- Cooperation Spar, Ikea
- Trials 2010

Italy

- Iveco: CNG PIEK trucks on market 2010
- Trials 2010?

Spain

- Mercadona, Condis (2000-2008)
- SOR, Mirofret Trials 2010?











More information

- E-mail: r.goevaers@agentschapnl.nl
- 0031-6-53541453







